

Finding the undiagnosed: A collaborative project

Magdalena Harris, Emma Ward & Charles Gore

London School of Hygiene and Tropical Medicine The Hepatitis C Trust







Background

- ~9 million living with HCV in Europe yet:
 - Only 10-40% of cases diagnosed
 - Over 100,000 undiagnosed in the UK
- Current treatment innovations will have limited population impact if case finding not improved
- Late presentation impacts on transmission potentials, disease progression, treatment success and trust



The study

- HCV treatment journey study (2012-2016)
 - Late presentation evident in data collection (40% sample)
- Collaboration with Hepatitis C Trust (2014)
 - 3 focus groups, 1 interview: 17 participants
 - Explore context of testing delay, diagnosis & awareness
 - To inform effective testing and awareness interventions
 - Development of survey instrument



Participants

- N= 25 (Interviews: 9, FG: 16)
- 16 Male, 9 Female, 30 67 years old (av 53 yrs)
- Diagnosis: 2009 2014, Transmission: 1970 1994
- Transmission to diagnosis gap: 18-42 yrs (av 28yrs)
- Mode of transmission:
 - Drug injecting (10), blood transfusion (7), don't know (5), SEA origin
 (2), unsterile blood donation (1)
- Ever on OST or in touch with D&A services: 1
- Cirrhosis when diagnosed: 9




Findings

Testing delay

9 1 2 3

Testing context



Awareness

Awareness campaigns



Testing delay

- Limited awareness
- Felt wellness
- Perception tested
- GP inaction
- Test expense



• Stigma / compartmentalisation of prior life



Limited awareness / relevance

- Majority not heard of HCV / not relevant
- A 'generic' illness
- Presumption of prior testing / vaccination

I thought hepatitis was a generic illness and I remember saying to him [GP] "But I can't have that I've been vaccinated against it," from having travelled, I assume I'd had a hep vaccine. (Helen)



Felt wellness

Felt wellness = limited awareness impact

I'd heard of Anita Roddick ... there was no connection and I was so well ... I was totally disinterested, I just didn't think I was ill. (Helen)

I've spent the last 30 years of my life full of people with hep C and addiction problems. But I was fit and well ... The idea that if you have no symptoms you can't be ill is quite a powerful notion. (Sam)

Health + lack of visibility as an ex-user = hidden



GP inaction / expense

- Elevated LFTs attributed to alcohol
- Symptoms attributed to 'women's problems'

I was only diagnosed last June, but I had been backwards and forwards to the GP for many years just unwell ... they did loads of tests, even gave me a hysterectomy, had the lot out ... so I don't know if that was necessary or not. (Jane)

GP reluctance to test as 'expensive'

If I hadn't insisted I wouldn't have got the second test ... I know it's a bit like PCR and that is a lot more expensive. It's about 300 quid isn't it? (Anton)



Stigma & the compartmentalised self

- Screening questions rare
- Few would disclose prior injecting if asked or request test

I was ashamed of it, I didn't want people to know. Plus being a nurse I couldn't admit to being that other person that I had been. (Moira)

Desire / need for GPs to take initiative

I don't know whether I'd want to know. The shame of it...what I'd put my family through ... I didn't want to go back to it being so long ago.

So is there anything that would have spoken to you?

I don't think so, I think it's just if they'd screened me and then I have to face it which is what I've done. (Jane)




Testing context

Change of doctor

Illness onset / intervention

Other's experience

Chance





The new doctor

- Change of GP context of test for many
- New GP invariably younger, previous GP 'old'

She was clued up, she was young ... I think I was so lucky to have her rather than one of the older GPs who perhaps wasn't so aware. (Nikki)

If my doctor had retired sooner and I got my new doctor sooner I'm quite sure I would have been diagnosed sooner (Rosie)

HCV awareness



She shows all the signs of hepatitis C

Hepatitis C can cause fatal liver disease with no obvious symptoms.

Get tested. Get treated.



The Hapatitis C Trust is a registered charity UK 1104079 Septemb 50039914









Confront it. Know it.





Hepatitis C is curable. Get tested.



World Hepatitis Day: 28 July hepotrust.org.uk/whd2013



0845 223 4424

Generously supported by





CLEARCHANNIL
















Campaign impact


- Limited relevance
- Confusing
- Generic
- Desire for risk & symptom information

They're basically saying anyone might have this. There's nothing that says it's especially to do with me. (Anton)

it's very generic ... people will think 'So do you catch it by sneezing on someone, like is it airborne (Sarah)

There's no link to symptoms no link to my symptoms that would have made me [get a test]. (Rosie)





Can you say yes?

I've injected drugs

I got a tattoo or body piercing using unsterile equipment
I had medical attention overseas

I had a blood transfusion prior to 1992 I've been in prison

Hepatitis C often has no symptoms but can cause liver cancer and liver failure. Get tested. It can be treated.

Talk to your doctor or get a free test from The Hepatitis Foundation of New Zealand. Call 0800 33 20 10 or visit www.hepatitisfoundation.org.nz. Hepatitis C. Know it. Test it. Treat it.

World Hepatitis Day - 28 July 2014.



signs of hepatitis C She shows all the

silent until it is too late. Hepatitis C can remain

It is transmitted through blood. This could have happened through:

Blood transfusions (prior to 1992)

Injecting drugs, even once, even a long time ago

Unsterile tattoos or piercings

Medical or dental procedures

Other blood to blood contact

HEPATITIS: THINK AGAIN





WORLD HEPATHIS DAY: JULY 28

signs of hepatitis C He shows all the

silent until it is too late. Hepatitis C can remain

It is transmitted through blood. This could have happened through:

Blood transfusions (prior to 1992)

Injecting drugs, even once, even a long time ago

Unsterile tattoos or piercings

Medical or dental procedures

Other blood to blood contact

HEPATITIS: THINK AGAIN





Awareness --> Action?

- Felt wellness = limited motivation to act
- Assumption of prior screening
- Compartmentalisation of prior life / stigma
- Desire for GPs to instigate testing

Well if the doctors were better informed would you need a poster outside? Isn't it up to the doctors to ask these questions? (Rosie)

For me personally that speaks to me more than the other ones. ... Would it have made me trot off to the doctors and ask for a test? No, 'cos I don't and I didn't feel ill. (Helen)



In summary

- Many undiagnosed will not identify as drug users or be in touch with D&A programs: the real 'hidden population'?
- Need for a multi-pronged approach
 - De-stigmatisation
 - Screening
 - Informative awareness materials (incl symptoms)
 - GP awareness
- Intractability of some testing barriers
 - Felt wellness & compartmentalised self
- G.P role key
 - Utility of screening questions?



Acknowledgements

- All the participants
- The Hepatitis C Trust
- The Royal London Hospital, Royal Free Hospital and Tower Hamlets SAU
- Magdalena Harris is funded by a National Institute of Health Research Postdoctoral fellowship [NIHR-PDF-2011-04-031]